



GENERAL SPECIFICATIONS

• L.O.A*:	5,26 m	17'3"
• Hull length:	5,18 m	17'
• Overall width:	2,36 m	7'9"
• Beam:	2,34 m	7'8"
• Draught (min/max):	0,40 - 0,80 m	1'4" - 2'7"
• Air draft:	1,80 m	5'11"
• Light displacement (EC):	1 320 kg	2,909 lbs
• Light displacement without engine:	1 090 kg	2,402 lbs
• Fuel tank:	136 L	36 US Gal
• Water tank (optional extra):	55 L	15 US Gal
• Max engine certification:	140 HP	140 HP
• Length - Driving shaft:	XL / 635mm	25"

* Length given without engine

ARCHITECTS / DESIGNERS

- Hull development: Remi Laval Jeantet /Tanguy Le Bihan / Patrick Tableau
- Designers: Style & Design

EC CERTIFICATION

- Category C - 6 people
- Category D - 6 people

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ

STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Polyester sandwich
- White gel coat
- AIRSTEP patented hull®

DECK

Composition:

- Polyester sandwich
- White gel coat

DECK EQUIPMENT

MOORING LINES - MOORING

- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Aft cleats in aluminium, 200 mm / 8"
- Winching ring on bow
- 2 Chain plate on aft transom
- Stainless steel bow roller + 1 Cleat

SAFETY ON DECK

- Stainless steel open pulpit
- Steps to sunbed: Beam 0,26 m / 10" (minimum)
- Handrails in cockpit, stainless steel

DECK

- Deck forward = 1,20 x 1,90 m / 3'11" x 6'3" (Mattress and supports heads included in the Comfort or Nordic package)
- Storage
- Cup holders

COCKPIT

- Wide and deep self-bailing cockpit (1,30 M / 4'3" length and 2,00 M / 6'7" width)
- 3 people aft seat, with stainless steel handrail on backrest*
- 1 people removable extended seat, with backrest / Security door
- Large lockable cockpit locker (BIB location)
- (136 L / 36 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel filler on transom
- Locked storage on starboard aft platform
- All-round light on samson post mounted on starboard freeboard
- Navigation lights (Port and starboard)

STEERING STATION

- Windscreen PMMA light grey tinted
- Center consol
- Sports steering wheel
- Leaning post
- 2 Handrails (Pilot + Co-pilot)
- Fitted footrests
- Dashboard with location for electronics, 7" screen, rpm and trim
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fuel gauge
- 12 V socket
- Battery switch
- Cable steering with non-return system (Hydraulic steering optional extra)
- Handrail around the windscreen

INTERIOR

- Alpi grey cedar wood fittings
- Brown oak laminated floors

FORWARD CABIN

Headroom: 1,49 m / 4'11"

- Cabin access through sliding door in translucent grey PMMA, Lock with key
- Functional storage lockers
- Dedicated position for marine WC (option)
- Ceiling light
- Battery switch

ELECTRICITY

- 12 V electrical panel
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump

optional extra:

- Water unit
- Pressured cold water
- Deck filler

* (Warning: Folding bench seat offered in Comfort pack)

TRIM LEVEL & PACKS

COMFORT PACK

PACKS

- Twin colors PVC Diamante Snow + Vogue onyx exterior cushions:
 - Cockpit bench seat (3+1),
 - Cockpit backrest (3+1),
 - Forward sun mattress + 2 Headrests.
- Removable cockpit table
- Cockpit shower spray
- Offshore Compass

ELECTRONICS PACKS

ELECTRONIC PACK

- GARMIN 7" (ECHOMAP Plus 72cv) Multifunction screen (chart not included)
- GARMIN GT20-TM Sensor

SOUND PACK

- Fusion MS-RA55
- 50 W speakers x 2

OPTIONS

- Cockpit bench convertible into a sun deck (with upholstery)
- Pilot and co-pilot seats with Bolster function - 360 ° swivelling and adjustable
- Cover of console and leaning post
- Cover of console and bolster seat
- Graphite bimini
- Stainless steel ski mast
- Extended swim platform
- PVC Snow onyx cabin mattress
- Additional soft storage box in cabin
- Marine toilet + 50 L / 13 US Gal black water tank, in the cockpit locker + Gauge
- Hydraulic steering
- 2 Fishing rod holders

- Pre-rigging Suzuki (1 x 90-140 CV/HP)
- Suzuki keyless pre-rigging (1 x 90-140 CV/HP)
- Pre-rigging Yamaha (1 x 90-140 CV/HP)
- Pre-rigging Honda (1 x 90-140 CV/HP)
- Mercury mechanic pre-rigging (1 x F80-115 CV/HP)

ENGINE SET UP

See sea trial data.