Flyer 7 SUNdeck

Provisional Specifications - Europe

Standard version



ELEGANCE version



Note: Some elements shown on the illustrations are available as options.

GENERAL SPECIFICATIONS *

• L.O.A:		
- standard:	6,41m	*21'*
- with options	7,26m	*23'7''*
• Hull length:	6,13m	*20'1''*
• Overall width:	2,48m	*8'2''*
• Beam:	2,45m	*8'*
• Draught (min/max):	0,40 - 0,80m	*1'4'' - 2'7''*
• Air draft:		
- standard:	1,80m	*5'11''*
• Light displacement (EC):	1 593kg	*3,511 lbs*
• Light displacement without engine:	1 311kg	*2,889 lbs*
• Fuel tank:	170L	*45 US Gal*
• Water tank (optional extra):	50L	*13 US Gal*
• Max engine certification:	200 HP	*200 HP*
• Driving shaft length:	XL / 635mm	*25''*

ARCHITECTS / DESIGNERS

- Hull development: BENETEAU Powerboats
- Designers: Style & Design

EC CERTIFICATION *

- Category C - 8 people
- Category D - 9 people

AIR STEP SYSTEM®

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ

** Provisional specifications, boat in process of certification.*